

CERRIGEST AUMON



CIERRAPUERTAS HIDRÁULICOS AÉREOS

WWW.CERRIGEST.ES

FICHA TÉCNICA - CIERRAPUERTAS MODELO 100 KILOS USO FRECUENTE





Ref.	Fuerza EN	Ancho Máx	Peso Máx	Apertura Máx	Retención	Color		
30610003	2-5	1.250	100	180°	No	Blanco	1	2,670
30610004	2-5	1.250	100	180°	No	Negro	1	2,670
30610006	2-5	1.250	100	180°	No	Plata	1	2,670
30610013	2-5	1.250	100	90°	Si	Blanco	1	2,756
30610014	2-5	1.250	100	90°	Si	Negro	1	2,756
30610016	2-5	1.250	100	90°	Si	Plata	1	2,756

AJUSTES CARGA DEL MUELLE:

EN	Giros 360°	αMáx
2	-2	180°
3	0	180°
4	+2	180°
5	+5	180°


* Ajuste de fábrica EN3

AJUSTES




INSTALACIONES


Montaje en hoja



Montaje en marco




Montaje en paralelo



*Todas las medidas en Milímetros

FICHA TÉCNICA - CIERRAPUERTAS MODELO 100 KILOS USO FRECUENTE



*Todas las medidas en Milímetros